

Climb
Safely
Smartly

LIBERTI[®]

L A D D E R S

**Little
Giant[®]**
Ladder Systems

EUROSTAR[™]

Aluminium Premium "DIY" Platform Ladder

**Safety. Every step
of the way**



www.sagarasia.com, www.libertiladders.com,



“Every step is a safe step”

We look at the world of climbing and access differently. Our journey is to find innovative ways of ensuring customers climb smartly, safely and gain access to their areas of work. In this quest, our focus is on knowledge blended to design and quality aligned to service. From the homemaker in the kitchen to the engineer in the aircraft hangar, we ensure the climb comes assured that “every step is a safe step”. That is our commitment and passion.







Home Choice

Home is where Liberti is! Ask us why. Liberti ladders are light, sturdy and safe. Our expertise in extrusion and control over the complete production processes from raw material to the final ladder and onwards to your kitchen and home help us ensure you climb smart and safely. Liberti ladders are easy to move and need no setting up time. You have multiple choices depending on the chore you would want to do at home. From fixing a bulb to trimming the hedges or plucking that flower, we have ladders of different heights and cater to diverse needs. Simple step stools, stepladders and twin ladders, ladders with a utility tray, multipurpose ladders and articulating ladders. All ladders have a clear rating on the load bearing capacities.

Workplace Choice

This is an accomplished area of expertise for us. For close to five decades we have been designing, manufacturing ladders and climbing systems for commercial and industrial use. From the simplest heavy-duty stepladders with utility trays, tool holders to the multipurpose ladders and the more specialized extension ladders, we have them all.

The Liberti commercial and industrial range stand out by virtue of Sagar Asia's commitment to deploy technology that combines resilience with sturdiness. Each of the ladders has added safety features built into them. Standard foot grips and knee rails apart, our ladders meant for commercial use have strength built into the construction and the finer detailing. For example, the rungs and the way they are riveted to the profile.

Ladders for professional use come from heights of 2 feet upwards. In both aluminum and fiberglass. With a variety of uses that make climbing and access safer and smarter. The Liberti heavy duty range is also easy to move, takes practically no setting up time and is designed for smart storage – foldable, tuckable into a corner. Our association with Little Giant also means users get the advantage of state of the art designed ladders adapted for Indian conditions by SA. Load capacity, duty rating and specifications of what the ladder is best suited for are clearly outlined.



Liberti is from Sagar Asia

Global Standards

Nothing but the best for you. Therefore, the Liberti range of ladders. All of them come with international certifications. We call our ladders as being globally certified and in fact 'SA passed'. This means that the ladders meet The US and European standards of quality and compliance. You would be glad to know that Liberti sells ladders across the world under the same brand name. India or abroad, it is the same Liberti with the quality that a world-class ladder manufacturer is expected to deliver. At Sagar Asia, we make ladders that are designed for use in homes to aircraft hangars. So rest assured...

Integration for unsurpassed quality

We are one of the biggest integrated manufacturing facilities with complete control on every aspect of the operation. Our tool room with international credentials ensures we are solution-driven and deliver customized solutions. In the Liberti range from Sagar Asia you can choose from 300 plus ladders available in different heights and load bearing capacities. From the kitchen to the airport hangar we are there.



GLOBALLY CERTIFIED



Climb
Safely
Smartly

Liberti means safety,
optimal design and details


Relevant, optimal design and functionality

Ladders made safe. Every step of the way is the SA promise. The range of over 300 ladders has this as the focus with a fetish for global standards and compliance. The ladders adhere to both ANSHI and OSA standards. The range is signified by its ability to constantly stay ahead of competition by providing new products and innovations. In fact SA up to the 7ft height can actually provide innumerable variations and options. In the type of ladder and material used for making the ladder. Our tool room provides the right perspective in responsive design engineering while our market intelligence and sensitivity to customer needs ensures we are there with relevant, optimal design and functionality.

Liberti Ladders from SA means climbing safely and smartly. Here are some of the unique features: Serrated steps and safety shoes, rivets and braces for extra strength and load capacity, fold down trays and tops as utility fixtures, lightweight design for easy carrying, guardrails and platform for knee protection and extra stability and comfort while working and standing, brackets and locks for secure and smooth operation, premium heavy duty rung locks, spreader arms to facilitate folding and carrying with ease, methodically labeled for clarity in specifications thus aiding choice and lastly a warranty against manufacturing defects.

Choose the right ladder

SELECT HEIGHT



SELECT PERFORMANCE

- Load Capacity
- Duty Rating
- Star & Color Code

SELECT MATERIAL

Aluminium

Light weight, robust and corrosion resistant, Not for use around electricity.

Fiberglass

Non-conductive side rails.
For working around electricity.

Safety first

the right way to use a ladder

Lean ladders against the wall
in the right angle



Please note maximum
permissible load as per
duty rating



Restraint straps of step ladders
always have to be tensioned



Single ladders always have to
end 1 m above level of access



It is not allowed to climb/
stand on supports.



On multi-purpose ladders,
rung hooks and rung lock
devices have to be used



Use ground spikes on rough
and slippery ground.

the wrong way to use a ladder

Never erect ladders on
slippery ground



Do not lean to the side
when working on ladder.



Do not stand on the top step of
a double sided step ladder



Do not lean ladders against
unsafe lay-on points



Last rung to stand on:
Step ladders: 2nd rung from top
Single ladders: 4th rung from top



It is not allowed to climb from step
ladders to a higher level of access.



Do not use damaged ladders

Step Ladders

Stepladders are ideal home companions. You need one at home both for indoor and outdoor chores. Like reaching to that suitcase, or putting away the pickle jar in the kitchen. Liberti Stepladders are ideal for simple tasks like changing bulbs, cleaning windows, dusting away unreachable areas and many more routine household chores. SA makes a comprehensive range of lightweight and easy to move aluminum ladders. You have choices from 2 feet height upwards and they come with several unique safety features and global safety standards.



Twin Ladders

Twin ladders means more than just one function and possibly two people at work simultaneously. Our Twin Ladders are designed to support use on both sides. Two people can climb simultaneously, one person per side, on either side of the ladder. For example, if there is a bulb to be changed or a suitcase to be stored in a walk-in closet, then one person can hold the bulb up while the other reaches out to the holder. Or one person can reach to the required height and the other can hand over the suitcase to be stored away. Or if you are painting a wall you can paint your side of the wall while your co-worker does the other side.

Single Ladders

Single ladders need to be propped carefully against a wall for support. Designed for traditional use and also understood to be the old fashioned, yet smart utility. Single ladders have also got to be designed uniquely for safe steps and stability. So when you buy look for rubber bumpers and slip-resistant rubber feet to ensure sturdiness and safety. This type of ladder is often used at homes for various chores and seems to be a favorite library ladder. Liberti's ranges of single ladders are there for household chores and commercial sue. They come in a variety of height options

Extension Ladders

Extension ladders have a base and one or two upper sections that slide up and down to allow you to reach different heights. Liberti Extension range has sturdy and well-designed locks that keep the ladder extended to the desired height. We also have larger extension ladders, which include rope and pulley systems. These allow you to extend the ladder with ease and the setup time is reduced. To provide stability at various angles, the lower section has pivoting feet that adjust the ladder smartly without compromising on safety and stability. Extension ladders require a surface such as a wall or a roofline for support. A good choice for outdoor projects.

Combination Ladders

Multi purpose ladders are multifunctional and multi positional. You can position them in multiple spaces work. Different floor levels. Different uses. Ladder, scaffold base, like a mini extension ladder- the choices and options are many. SA has collaborated with leading players across the world and combined it with their understanding of the users needs. So you may actually discover technical innovations and additions to the known designs. This competency of SA is by virtue of the responsive design and globally recognized tool room.



Articulating Ladders

When you want more than one ladder in one ladder! Articulating Ladders are uniquely designed in two parts or three parts. In some cases they can even become six ladders in one especially when it is a three-part ladder! A trestle step, single ladder, double or triple extension ladder or even a stairway ladder – all of this is possible with our Articulating Ladder range. Versatile? Safe and steady? Yes to all. Our range of Articulating Ladders is designed to be stable, durable and functionally aligned to the job on hand. The ladders can be folded up into a compact shape for easy transportation and storage.

LIBERTI
L A D D E R S


EURO
ESTAR
CLIMBING SYSTEMS

Little
Giant
Ladder Systems

Climb
Safely
Smartly

Step Ladder

Aluminium Step Stool ANSI 14.2



1000 SERIES ALUMINIUM STEP STOOL - SPECIFICATIONS

Step Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
1002	0.6	2	0.43	1.41	0.48	1.58	0.6	2	2.44	8

Available Sizes: 2ft


- Aluminium extruded anti skid top & steps
- Extra wide slip resistant traction-tread
- Slip resistant safety shoes
- Aluminium extruded braces for extra stability



1000 Series

300lbs Type 1A

Extra Heavy duty
Aluminium Step Stool
Ideal for chores
around the house



1002



Climb
Safely
Smartly

Stepladder

Aluminium
ANSI 14.2



1100 SERIES ALUMINIUM STEP STOOL - SPECIFICATIONS

Step Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts	Ft.	Mts.	Ft.
1104	1.22	4	0.48	1.55	0.75	2.44	0.60	2	2.43	8
1105	1.52	5	0.51	1.67	0.92	3	0.91	3	2.74	9
1106	1.82	6	0.55	1.80	1.07	3.5	1.21	4	3.04	10

Available Sizes: 4', 5' & 6' ft




- Moulded copolymer utility top to hold tools and a hook to hang a bucket
- Wide" 3" slip resistant serrated aluminium steps for safe climbing
- Slip resistant safety shoes
- Aluminium extruded braces for extra stability



1100 Series

200lbs Type III

Light weight
Aluminum
Step ladder




1104



1105



1106



Climb
Safely
Smartly

Stepladder

Aluminium
ANSI 14.2



1200 SERIES ALUMINIUM STEP STOOL - SPECIFICATIONS

Step Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
1204	1.22	4	0.48	1.55	0.75	2.44	0.60	2	2.43	8
1205	1.52	5	0.51	1.67	0.92	3	0.91	3	2.74	9
1206	1.82	6	0.55	1.80	1.07	3.5	1.21	4	3.04	10
1208	2.44	8	0.64	2.12	1.4	4.6	1.7	6	3.65	12
1210	3.04	10	0.8	2.6	1.7	5.6	2.4	8	4.3	14

Available Sizes: 4', 5', 6', 8' & 10' ft


- Moulded copolymer utility top to hold tools and a hook to hang a bucket
- Wide" 3" slip resistant serrated aluminium steps for safe climbing
- Fold down utility tray to hold paint accessories, toolbox etc
- Slip resistant safety shoes
- Aluminium extruded braces for extra stability



1200 Series

225lbs Type II

Medium duty
Aluminium
Stepladder
with Utility Tray



1204



1205



1206



1208



1210



Climb
Safely
Smartly

Stepladder

Aluminium
ANSI 14.2



1400 SERIES ALUMINIUM STEP LADDERS - SPECIFICATIONS

Step Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
1404	1.22	4	0.50	1.64	0.74	2.43	0.60	2	2.43	8
1406	1.82	6	0.60	1.97	1.10	3.60	1.22	4	3.04	10
1408	2.43	8	0.70	2.30	1.40	4.60	1.82	6	3.65	12
1410	3.04	10	0.76	2.50	1.70	5.57	2.43	8	4.26	14
1412	3.62	12	0.82	2.80	2.00	6.6	3.04	10	4.86	16

Available Sizes: 4', 6', 8', 10' & 12' ft


- Heavy duty moulded top to hold tools and accessories
- Aluminium spreader link with hand grip for easy one-handed carry and close
- Wide 3" slip resistant serrated aluminium steps
- Constructed with heavy duty aluminium rail and braces
- Heavy duty slip resistant safety shoes



1400 Series

300lbs Type IA

Heavy Duty Professional Aluminium Stepladder



1404



1406



1408



1410



1412



Stepladder

Fiberglass
STD : 14.5



5400 SERIES FIBERGLASS STEP LADDERS - SPECIFICATIONS										
Step Ladder No	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
5404	1.22	4	0.50	1.64	0.74	2.43	0.60	2	2.43	8
5406	1.82	6	0.60	1.97	1.10	3.60	1.22	4	3.04	10
5408	2.43	8	0.70	2.30	1.40	4.60	1.82	6	3.65	12
5410	3.04	10	0.76	2.50	1.70	5.57	2.43	8	4.26	14
5412	3.62	12	0.82	2.80	2.00	6.6	3.04	10	4.86	16

Available Sizes: 4', 6', 8' & 10' & 12' ft




- Super tough copolymer top for strength & durability
- Dog bone spreader with hand grip for easy one-handed carry & close
- Durable non-conductive fiberglass side rails
- Aluminium braces on all steps
- Slip resistant safety shoes
- Specially designed aluminium heavy duty spreader bars with Z brackets



5400 Series

375lbs Type IAA

Special Duty
Fiberglass
Stepladder



5404



5406



5408



5410



5412



Climb
Safely
Smartly

Stepladder

Safe frame
STD : ANSI 14.5



SFRAME SERIES FIBERGLASS STEP LADDERS - SPECIFICATIONS

Step Ladder No	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
15776	1.82	6	0.62	2.06	1.1	3.61	1.22	4	3.04	10
15778	2.43	8	0.72	2.36	1.4	4.6	1.82	6	3.65	12
15770	3.04	10	0.76	2.62	1.7	5.6	2.43	8	4.26	14
15772	3.65	12	0.82	6.56	3.04	10	3.04	10	4.87	16

Available Sizes: 6', 8', 10', & 12' ft

- Face forward top cap
- Removal of top rung eliminate a leading cause for stepladder accidents
- Wide comfort step to reduce foot fatigue improve stability
- Ground Cue indicator alerts user to last step
- Built-in Quad Ratchet Levelers adjust up to 6.25"




**Little
Giant**
Ladder Systems

Safe Frame

375lbs Type IAA

Special duty FRP
Stepladders
Ideal for painting,
carpentry and
odd jobs



15776



15778



15770



15772



Climb
Safely
Smartly

Platform Ladder

Aluminium

STD: ANSI 14.2



9900 SERIES ALUMINIUM PLATFORM LADDERS - SPECIFICATIONS

Platform Ladder No	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts	Ft.	Mts.	Ft.
9904	0.57	2	0.50	1.66	0.65	2.12	0.59	1'11"	2.42	7'9"
9905	0.85	3	0.55	1.79	0.85	2.79	0.89	2'9"	2.74	8'9"
9906	1.15	4	0.61	2.00	1.00	3.25	1.2	3'10"	3	9'10"

Available Sizes: 2', 3' & 4' ft


- Tubular construction, makes this ladder light weight and allows for compact storage
- Aluminium fold down utility tray for tools and paint accessories
- Large comfortable slip resistant platform
- Rubber slip resistant safety shoes
- Wide slip resistant serrated aluminium steps
- Above the knee level guardrail



9900 Series

200lbs Type III

Light Duty Aluminium Platform Ladder
Ideal for Home Use



9904



9905



9906



Platform Ladder

Aluminium



P1200 SERIES ALUMINIUM PLATFORM LADDERS - SPECIFICATIONS

Platform Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
P1203	1.52	5	0.6	2	0.9	2.95	0.9	3	2.74	9
P1204	1.82	6	0.63	2.06	1.1	3.61	1.2	4	3.04	10
P1205	2.12	7	0.68	2.21	1.25	4.11	1.5	5	3.35	11
P1206	2.43	8	0.72	2.36	1.4	4.6	1.8	6	3.65	12
P1207	2.74	9	0.76	2.51	1.55	5.1	2.1	7	3.95	13
P1208	3.04	10	0.8	2.62	1.7	5.6	2.4	8	4.26	14

Available Sizes: 5', 6', 7', 8', 9' & 10' ft


- Large comfortable slip resistant platform
- Safety & above knee level guard rail
- Outside pinch-proof aluminium/steel spreader arms
- Specially designed aluminium / braces & rear horizontal struts providing unequalled rigidity
- Slip resistant safety shoes



P1200 Series

225lbs Type II

Medium Duty Aluminium Platform Ladder without handrail



P1203



P1204



P1205



P1206



P1207



P1208



Climb
Safely
Smartly

Platform Ladder

Aluminium



P1200 SERIES ALUMINIUM PLATFORM LADDERS - SPECIFICATIONS

Platform Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
P1205	2.12	7	0.68	2.21	1.25	4.11	1.5	5	3.35	11
P1206	2.43	8	0.72	2.36	1.4	4.6	1.8	6	3.65	12
P1207	2.74	9	0.76	2.51	1.55	5.1	2.1	7	3.95	13
P1208	3.04	10	0.8	2.62	1.7	5.6	2.4	8	4.26	14

Available Sizes: 7', 8', 9' & 10' ft


- Large comfortable slip resistant platform
- Safety & above knee level guard rail
- Outside pinch-proof aluminium/spreader arms
- Specially designed aluminium/steel braces & rear horizontal struts providing unequalled rigidity
- Slip resistant safety shoes
- Handrail for comfortable climbing



P1200 Series

225lbs Type II

Medium Duty
Aluminium
Platform Ladder
with Handrail



Climb
Safely
Smartly

Platform Ladder

Aluminium



P1400 SERIES ALUMINIUM PLATFORM LADDERS - SPECIFICATIONS

Platform Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
P1405	2.15	7	0.64	2.11	1.1	3.6	1.2	5	3.05	10
P1406	2.43	8	0.72	2.36	1.4	4.6	1.8	6	3.65	12
P1408	3.04	10	0.80	2.62	1.7	5.6	2.4	8	4.26	14
P1410	3.64	12	0.90	2.9	2	6.6	3	10	4.86	16
P1412	4.24	14	1.00	3.2	2.3	7.6	3.6	12	5.46	18

Available Sizes: 7', 8', 10', 12' & 14' ft


- Safety guard rail above the knee level
- Large comfortable slip resistant platform
- Aluminium braces on steps and rear horizontal struts providing unequalled rigidity
- Heavy duty aluminium rail
- Outer spreader arms with pinch-proof aluminium
- Heavy duty slip resistant safety shoes



P1400 Series

300lbs Type IA

Extra Heavy Duty
Aluminium
Platform Stepladder



P1405



P1406



P1408



P1410



P1412



Climb
Safely
Smartly

Platform Ladder

Fiberglass



P5400 SERIES FIBERGLASS PLATFORM LADDERS - SPECIFICATIONS

Platform Ladder No	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
P5404	1.82	6	0.63	2.06	1.1	3.61	1.2	4	3.04	10
P5406	2.43	8	0.72	2.36	1.4	4.6	1.8	6	3.65	12
P5408	3.04	10	0.8	2.62	1.7	5.6	2.4	8	4.26	14
P5410	3.65	12	2.00	6.56	2.00	6.6	3.00	10.00	4.87	16

Available Sizes: 6', 8', 10' & 12' ft


- Wide aluminium platform for safe & comfortable climbing
- Dog bone spreader with hand grip for easy one-handed carry & close
- Heavy duty non-conductive fiberglass side rails
- Slip resistant & heavy duty safety shoes
- Above the knee level safety guard rail with heavy duty side plates



P5400 Series

375lbs Type IAA


Special duty
Fiberglass
Platform Ladder



P5404



P5406



P5408



P5410



Climb
Safely
Smartly

Platform Ladder

Eurostar Aluminium STD : EN-131



EUROSTAR SERIES ALUMINIUM PLATFORM LADDERS - SPECIFICATIONS

Platform Ladder No	Platform Height		Ladder Height		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
103	0.60	1.98	1.27	4.19	2.60	8.58
104	0.81	2.67	1.50	4.95	2.81	9.27
105	1.03	3.40	1.73	5.71	3.03	10.00
106	1.24	4.09	1.96	6.47	3.24	10.69
107	1.47	4.85	2.21	7.29	3.47	11.45
108	1.70	5.61	2.44	8.05	3.70	12.21

Available Sizes: 3', 4', 5', 6', 7' & 8' ft



- Knee height guard rail for safety
- Rails made from aluminium extruded profiles for maximum stability
- Wide, comfortable powder coated platform with non-slip surface
- Front & rear rail strengthened by riveting to each other - no plastic hinges
- Wide, deep steps with non-slip surface
- Steps strengthened by riveting to rails
- Slip-resistant safety shoes
- Safety straps for models 106, 107 and 108




100 Series

150kg EN 131

Eurostar Premium
"DIY" Aluminium
Platform Ladder

EUROSTAR

Aluminium Premium "DIY" Platform Ladder




Climb
Safely
Smartly

Platform Ladder

Liberti Lite Aluminium

EASY **N** **LITE**

STD : ANSI 14.2



200 SERIES LIEBERTI EASY N LITE PLATFORM LADDERS - SPECIFICATIONS

Platform Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
202	1.05	3.45	0.45	1.48	0.55	1.8	0.48	1.57	2.28	7.57
203	1.28	4.2	0.48	1.57	0.68	2.23	0.69	2.26	2.51	8.26
204	1.51	4.95	0.5	1.64	0.8	2.62	0.9	2.95	2.73	8.95
205	1.74	5.7	0.53	1.74	0.92	3.01	1.10	3.60	2.93	9.6
206	1.97	6.46	0.55	1.82	1.04	3.4	1.31	4.3	3.13	10.3

Available Sizes: 2', 3', 4', 5' & 6' ft


- Large comfortable & wide slip resistant plastic top
- Light duty aluminium rail
- Specially designed plastic platform with safety lock
- Slip resistant safety shoes
- Safety straps for models 204, 205 & 206
- Specially designed wide resistant serrated aluminium hollow type slip



Liberti Easy N Lite

200lbs Type III

Light Weight Aluminium
Platform Ladder



Climb
Safely
Smartly

Platform Ladder

Liberti Premium
ANSI 14.2



400 SERIES LIBERTI PREMIUM ALUMINIUM LADDERS - SPECIFICATIONS

Platform Ladder No	Size		Approx Width		Approx Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts	Ft.	Mts.	Ft.
402	1.2	3.93	0.63	2.06	0.48	1.57	0.4	1.31	2.21	7.31
403	1.45	4.75	0.51	1.67	0.6	1.97	0.61	2	2.44	8
404	1.7	5.58	0.542	1.78	0.72	2.36	0.82	2.7	2.66	8.7
405	2.05	6.72	0.58	1.9	0.84	2.75	1.03	3.38	2.76	9.38
406	2.3	7.54	0.607	1.99	0.96	3.15	1.24	4.07	3.18	10.07

Available Sizes: 2', 3', 4', 5', 6' & 7' ft



- WIDE plastic platform
- Light duty aluminium rail
- Specially designed/steel braces for bottom slip
- Heavy duty slip resistant safety shoes
- Safety straps for models 405 & 406
- Wide deep steps with non slip surface
- Hand rails for comfortable climbing
- Front & rear rails strengthened by riveting to each other with plastic hinges.



Liberti Premium

200lbs Type III

Light Weight
Aluminium
Platform Ladder
with handrails



Climb
Safely
Smartly

Twin Ladders

Aluminium
ANSI 14.2



T1400 SERIES ALUMINIUM TWIN LADDERS - SPECIFICATIONS

Twin Ladder No	Size		Approx Width		Approx Spread		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
T1404	1.22	4	0.55	1.8	0.9	3	2.43	8
T1406	1.82	6	0.62	2	1.28	4.2	3.04	10
T1408	2.43	8	0.72	2.4	1.62	5.3	3.65	12
T1410	3.04	10	0.8	2.6	1.98	6.5	4.26	14

Available Sizes: 4', 6', 8', & 10' ft


- Wide 6" aluminium top
- Outside pinch-proof Aluminium spreader arms
- Two way climbing
- Heavy duty slip resistant safety shoes
- Heavy duty aluminium rail



T1400 Series

300lbs Type IA

Extra Heavy Duty
Aluminium 2-way
Stepladder



T1404



T1406



T1408



T1410



Climb
Safely
Smartly

Twin Ladders

Fiberglass



T5400 SERIES FIBERGLASS TWIN LADDERS - SPECIFICATIONS

Twin Ladder No	Size		Approx Width		Approx Spread		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
T5404	1.22	4	0.55	1.8	0.9	3	2.43	8
T5406	1.82	6	0.62	2	1.28	4.2	3.04	10
T5408	2.43	8	0.72	2.4	1.62	5.3	3.65	12
T5410	3.04	10	0.8	2.6	1.98	6.5	4.26	14
T5412	3.65	12	0.90	3.00	2.00	6.60	4.80	16.00

Available Sizes: 4', 6', 8', & 10' ft


- Large comfortable slip resistant 6" top
- Outside pinch-proof aluminium/ dog bone spreader arms
- Specially designed aluminium & rear horizontal struts providing unequalled rigidity
- Heavy duty slip resistant safety shoes
- Two way climbing
- Heavy duty extruded aluminium top side plates



T5400 Series

375lbs Type IAA

Special duty
Fiberglass
Twin Ladder



T5404



T5406



T5408



T5410




T5412



Single Ladders

Aluminium



2300 SERIES ALUMINIUM SINGLE LADDERS - SPECIFICATIONS

Single Ladder No	Approx Width		Ladder Nominal Size		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts	Ft.
2308-1	0.5	1.64	2.55	8.4	1.525	5	2.74	9
2310-1	0.5	1.64	3.16	10.4	2.135	7	3.35	11
2312-1	0.5	1.64	3.77	12.4	2.745	9	3.96	13
2314-1	0.5	1.64	4.38	14.4	3.355	11	4.47	15
2316-1	0.5	1.64	4.99	16.4	3.965	13	5.18	17
2318-1	0.5	1.64	5.6	18.4	4.575	15	5.8	19
2320-1	0.5	1.64	6.21	20.4	5.185	17	6.4	21

Available Sizes: 8', 10', 12', 14', 16', 18' & 20' ft




- Mar-resistant end caps
- Top 3 rungs in red colour to indicate "do not climb"
- Heavy duty I beam rails for safety and durability
- Shoe rests flat or is held in spur position
- All "O" rungs / "D" rungs are slip resistant serrated rungs for durability & extra strength



2300 Series

300lbs Type IA

Ideal for industrial fixed height works
Extra Heavy Duty Aluminium Single Ladders



Single Ladders

Fiberglass



6300 SERIES FIBERGLASS SINGLE LADDERS - SPECIFICATIONS

Single Ladder No	Approx Width		Ladder Nominal Size		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts	Ft.
6308-1	0.5	1.64	2.55	8.4	1.525	5	3.35	11
6310-1	0.5	1.64	3.16	10.4	2.135	7	3.965	13
6312-1	0.5	1.64	3.77	12.4	2.745	9	4.475	15
6314-1	0.5	1.64	4.38	14.4	3.355	11	5.185	17
6316-1	0.5	1.64	4.99	16.4	3.965	13	5.8	19
6318-1	0.5	1.64	5.6	18.4	4.575	15	6.4	21
6320-1	0.5	1.64	6.21	20.4	5.185	17	7.01	23

Available Sizes: 8', 10', 12', 14', 15', 16', 18', & 20' ft



- Mar-resistant end caps
- Top 3 rungs in red colour to indicate "do not claim"
- Durable non-conductive fiberglass side rails
- Non-slip heavy duty safety shoes
- All "O" rungs / "D" rungs are slip resistant serrated rungs for durability & extra strength



6300 Series


300lbs Type IA

Extra Heavy Duty



Extension Ladders

Aluminium



2300-2 SERIES ALUMINIUM EXTENTION LADDERS - SPECIFICATIONS

Single Ladder No	Approx Width		Ladder Nominal Size		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
2316-2	0.48	1.57	2.66	8.72	3.05	10	4.87	16
2320-2	0.48	1.57	3.27	10.72	4.27	14	6.09	20
2324-2	0.48	1.57	3.88	12.72	5.49	18	4.475	24
2328-2	0.48	1.57	4.49	14.72	6.71	22	5.185	28
2330-2	0.48	1.57	5.1	16.72	7.31	24	9.14	30
2332-2	0.48	1.57	5.71	18.72	7.92	26	9.75	32
2336-2	0.48	1.57	6.32	20.72	9.14	30	10.97	36
2340-2	0.48	1.57	6.92	22.72	10.36	34	12.19	40

Available Sizes: 16', 20', 24', 28', 30', 32', 36', & 40' ft


- Mar-resistant end caps
- Top 3 rungs in red colour to indicate "do not climb"
- Rope operated ladder with premium heavy duty rung locks
- Shoe rests flat or is held in spur position
- All "O" rungs / "D" rungs are slip resistant serrated rungs for durability & extra strength



2300-2 Series

300lbs Type IA

Ideal for industrial fixed height works
extra heavy duty



Extension Ladders

Fiberglass
ANSI 14.5



6300-2 SERIES ALUMINIUM EXTENTION LADDERS - SPECIFICATIONS

Single Ladder No	Approx Width		Ladder Nominal Size		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
6316-2	0.48	1.57	2.66	8.72	3.05	10	4.87	16
6320-2	0.48	1.57	3.27	10.72	4.27	14	6.09	20
6324-2	0.48	1.57	3.88	12.72	5.49	18	4.475	24
6328-2	0.48	1.57	4.49	14.72	6.71	22	5.185	28
6330-2	0.48	1.57	5.1	16.72	7.31	24	9.14	30
6332-2	0.48	1.57	5.71	18.72	7.92	26	9.75	32
6336-2	0.48	1.57	6.32	20.72	9.14	30	10.97	36
6340-2	0.48	1.57	6.92	22.72	10.36	34	12.19	40


Available Sizes: 16', 20', 24', 28', 30', 32', 36', & 40' ft

- Mar-resistant end caps
- Top 3 rungs in red colour to indicate "do not claim"
- Rope operated ladder with premium heavy duty rung locks
- Heavy duty ribbed swivel feet with ice pick
- All "O" rungs / "D" rungs are slip resistant serrated rungs for durability & extra strength

6300-2 Series

300lbs Type IA

Ideal for painting, carpentry and odd jobs
extra heavy duty



Extension Ladders

Sumostance Fiberglass



SUMO SERIES FIBERGLASS EXTENSION LADDERS - SPECIFICATIONS

Extension Ladder No	Extension Min Height		Extension Max Height		Extension Highest Standing Level		Storage Height	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
SUMO 16	2.74	5	4.87	16	2.5	8.4	2.92	9.6
SUMO 20	3.35	11	6.09	20	3.71	12.2	3.53	11.6
SUMO 24	3.96	13	7.31	24	4.90	16.1	4.14	13.6
SUMO 28	4.57	15	8.5	28	5.82	19.11	4.75	15.6
SUMO 32	5.18	17	9.75	32	7.04	23.1	6.58	21.6

Available Sizes: 16', 20', 24', 28' & 32' ft

- Reduces ladder weight up to 15% over ordinary extension ladders
- Adjust 9" on each side over uneven ground
- Built-in levels ensure level rungs and proper lean angle; work from a safe, stable setup every time
- Compact storage outriggers retract to sleek storage profile




Sumo Series

375lbs Type IAA

Ideal for painting, carpentry and odd jobs
extra heavy duty

Little Giant
Ladder Systems



SUMO16



SUMO20



SUMO24



SUMO28



SUMO32



Combination Ladders

Aluminium ANSI 14.2



2000 SERIES ALUMINIUM COMBINATION LADDERS - SPECIFICATIONS

Combination Ladder No	Size		Extension Max Height		Highest Standing Level Self Supporting		Max Reach Self Supporting		Highest Standing Level Wall reclining		Max reach Wall reclining	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
2003	0.91	3	1.52	5	0.30	1	2.13	7	0.60	2	2.13	7
2004	1.21	4	2.13	7	0.60	2	2.43	8	1.21	4	2.74	9
2005	1.52	5	2.74	9	0.91	3	2.74	9	1.82	6	3.35	11
2006	1.82	6	3.35	11	1.21	4	3.04	10	2.43	8	4.57	13
2008	2.43	8	4.57	15	1.82	6	3.65	12	3.65	12	5.18	17
2010	3.04	10	5.79	19	2.43	8	4.26	14	4.87	16	6.40	21

Available Sizes: 3', 5', 6', 7', 8', 9' & 10' ft


- Slotted tool top with hook lock
- Solid hinge Plates
- Strong spreaders
- Slip resistant serrated extra wide steps
- Extra step braces on bottom steps
- Clips store spreaders work neatly when used as extended ladder
- Slip- resistant wall bumpers
- Slip-resistant safety shoes
- Can be used as a frame & wall reclining ladder



2000 Series

250lbs Type I

Heavy Duty / Professional Use



Combination Ladders

Multipurpose Aluminium



MULTIPURPOSE COMBINATION LADDERS - SPECIFICATIONS

Combination Ladder No	Step Ladder Max Height		Standing Height as lean to ladder		Max Reach as lean to ladder		Base Width		Folded Dimension	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts	Ft.	Mts.	Ft.
3942065	2.3	7.54	4.7	15.41	6.5	21.32	0.97	3.18	3.18 x 0.88 x 4.19	0.97 x 0.27 x 1.28

Available Sizes: 7.5' 15' & 21' ft


- Lean-to, trestle and staircase ladder in one.
- Only a few actions needed to convert from one to the other.
- Rung by rung height adjustment in all versions.
- High strength quality triple formed connection between rungs and stiles.
- Folds down to a space-saving compact size for transport.



All Rounder Ladder

300lbs Type IA

The Complete Maintenance Ladder, Ideal for Staircases



3942065



Combination Ladders

Skymaster Aluminium



SKY MASTER COMBINATION LADDERS - SPECIFICATIONS

Combination Ladder No	Ladder Length as a 3 part single ladder		Length as a 2 Part single ladder		Length of ladder parts		Stile depth	Horizontal Stabilizer bar	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.		Mts.	Ft.
741521	5.8	19.02	4.1	13.45	2.45	8.03	73	0.9	2.95

Available Sizes: 19'


- Top section with parking hooks and locking mechanism.
- Strong nylon restraint strap with sewn-in fixing tab.
- Optimum guide connection that encompasses the whole stile.
- Locking mechanism and guides are bolted in so that they can be replaced.
- High strength quality triple formed connection between rungs and stiles.
- Can be used on steps / stairs.



Skym Series

300lbs Type IA

One Ladder
Many Functions




741521



Climb
Safely
Smartly

Articulating Ladders

Velocity Aluminium



VELOCITY ALUMINIUM ARTICULATING LADDERS - SPECIFICATIONS

Articulating Ladder No	Step Ladder Max Height		Step Ladder highest standing level		Extension Max Height		Extension highest standing level		Storage Height	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
M13	1.55	5.1	0.60	2	3.35	11	2.40	7.9	1.12	3.7
M17	2.16	7.1	1.21	4	4.57	15	3.56	11.7	1.43	4.7
M22	2.77	9.1	1.82	6	5.79	19	4.75	15.6	1.73	5.7
M26	3.38	11.1	2.43	8	7.01	23	5.94	19.5	2.04	6.7

Available Sizes: 11, 15, 19 & 23

- Patented rock locks enable faster setup and faster takedown
- Tip & glide wheels make them easy to move
- Lighter weight 15% lighter than the competition
- Legendary safety and versatility of the original Little Giant Ladder




Velocity Series

300lbs Type IA

Ideal for painting, carpentry and odd jobs

Little Giant
Ladder Systems



M13



M17



M22



M26



Climb
Safely
Smartly

Articulating Ladders

Select Step Aluminium



SELECT STEP ALUMINIUM ARTICULATING LADDERS - SPECIFICATIONS

Articulating Ladder No	Size		Width		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
15009	1.21	4	0.33	1.11	0.94	3.1	3.13	10.3
15125	1.82	6	0.85	2.8	2.34	7.7	4.26	14.1
15109	1.52	5	0.67	2.2	1.76	5.8	3.71	12.2

Available Sizes: 4', 6' & 5' ft

- A comfortable ladder
- Lightweight yet extremely strong (Type IA 300 lbs ANSI rating)
- The built-in no-pinch Comfort Step™ provides a huge, comfortable standing platform that literally feels like you're standing on solid ground
- Each side telescopes incrementally so you have the flexibility to work on staircases or sloping ground as well as even surfaces
- A versatile top cap complete with integrated tool slots and work tray




SStep Series

300lbs Type IA

Ideal for painting, carpentry and odd jobs

Little Giant
Ladder Systems



15009



15125



15109



LIBERTI®

L A D D E R S



India

Corporate Office

Sagar Asia Pvt. Ltd

2012nd Floor, "Mayfair" Sardar Patel Road
Secunderabad - 500 003, Telangana India
Tel: +91 40 27728500
Email: info@sagarasia.com

Sagar Asia Pvt. Ltd

11/P & 12/P, Survey N. 855 IDA Medchal, Greater
Hyderabad Medchal - 501 401, Telangana India
Tel: +91 8418 225720 | 9701 200088

Sagar Asia Pvt. Ltd

5-30, sy.No 379-382, Manorabad Mandal,
Kallakal Village-502 336 Medak Dist, Telangana India
Tel: +91 8454 245000
Email: info@sagarasia.com

Sagar Asia Pvt. Ltd

Sy. No. 310AA, Manorabad Mandal,
Kallakal Village - 502 336 Medchal Dist, Telangana India
Hyderabad Medchal - 501 401, Telangana India
Tel: +91 8454 245000

SA - Global

Master Distributor

Dubai

Freiheit Skytech (FZC)

Office No. Q3 205 SAIF ZONE
PO BOX: 124536 Sharjah UAE
M: +971-566189629, Tel: +97 6 5587218.
Email: info@freiheitskytech.com,
sales@freiheitskytech.com,
anandsagar@freiheitskytech.com

Malaysia

Sagarasia Malaysia Sdn Bhd

26 Jalan SS14/3A 47500 Subang Jaya, selangor, Malaysia
M: +971-566189629, Tel: +97 6 5587218.
Email: malaysia@sagarasia.com

Technical Collaborations

Technical Collaboration

Germany

Freiheit Skytech GmbH

Teerhof 59 Alte Neustadt 28199 Bremen Germany
Tel: +49 421 54890
Email: info@freiheitskytech.com

USA

Liberti Ladders & Access Solutions Inc

285, West Cedar Street, Norwalk, CT USA
Email: sales@libertiladders.com

